

	PAGE.
Narayanamurti, D. and Ayyar, C. V. Ramaswami	109
Narayanamurti, D., Ayyar, C. V. Ramaswami and Norris, Roland V.	105
Norris Roland, V., see Ayyar, C. V. Ramaswami	275
Norris Roland, V., see Narayanamurti, D.	105
Norris Roland, V., see Subrahmanyam, V.	53
Norris Roland, V., see Sundaram, P. S.	193
Paranjpe, D. R., and Ayyar, P. Ramaswami	179
Patwardhan, V. N.,	185, 191
Raghava Rao, Bh. S. V.	225
Raghava Rao, Bh. S. V. and Watson, H. E.	1, 17
Sastri, B. N.	251
Sastri, B. N. and Sreenivasaya, M.	233
Sastri, B. N., see Sreenivasaya, M.	239, 145
Sreenivasaya, M. and Mahdihassan, S.	69
Sreenivasaya, M. and Sastri, B. N.	239, 245
Sreenivasaya, M., see Krishna, B. H. R.	41
Sreenivasaya, M., see Narasimhamurthy, N.	153
Sreenivasaya, M., see Narayana, N.	37
Sreenivasaya, M., see Sastri, B. N.	233
Subrahmanyam, V.	57
Subrahmanyam, V. and Norris, Roland V.	53
Subrahmanyam, V., see Ganesha Rao, M.	253
Subrahmanyam, V., see Sundaram, P. S.	193
Sundaram, P. S., Norris, Roland V. and Subrahmanyam, V.	193
Swaminathan, N.	131
Watson, H. E. and Menon, A. S.	207
Watson, H. E., see Raghava Rao, Bh. S. V.	1, 17

Subject Index.

	PAGE.
Acetamide utilised by fungus from lac-insect	70
<i>Actineta</i> in activated sludge	142
Acridine yellow and micro-organisms	144
<i>Actinophrys</i> in activated sludge	142
<i>Actinomyces alboporeus</i> and <i>scabies</i> —Germination of	63
" <i>chromogenus</i> and <i>reticuli</i> —	60
" of soil—Studies on	53, 253
Activated sludge—Isolation of sulphur-oxidising organism from	278
" " —Oxidation of sulphur by	275
" " process—Economics of	150
" " process—Report on	131
" " —Protozoa from	74
Agar agar as sensitiser in phototropy	9

	PAGE.
Albumins from <i>Cajanus Indicus</i>	195
5-Allylamino-2 : 3-benzo-1 : 4-thiazole	176
2-Allylamino-4-5-benzo-7-thio keto-1 : 3 : 6-thioheptadiazine	173
2-Allylimino-3-acetyl-5-keto-2 : 3 : 4 : 5-tetrahydro-1 : 3 : 4-thiodiazole	98
Aluminium sulphate and activated sludge	148
Amino-acids utilised by fungus from lac-insect	70
Ammonium sulphate utilised by fungus from lac-insect	70
<i>Amoeba</i> in activated sludge	142
Amylase from <i>Caesalpinia bonducella</i>	191
" " cumbu	105
" " <i>Zea mais</i>	185
2-Anilino-4 : 5-benzo-7-thio keto-1 : 3 : 6-heptathiodiazine	166, 170
Arginine component of <i>Cajanus Indicus</i>	203
" in caseinogen and gelatin—Estimation of	39
<i>Arthropoda</i> in activated sludge	142
<i>Auginilla</i> in activated sludge	142
Barley compared with <i>Zea mais</i>	187
1-Benzalanilino-3-phenylthiocarbamide	177
" " , <i>o</i> -hydroxy-	177
" " , <i>o</i> -nitro-	177
" " , <i>m</i> -nitro	177
Benzenyl- <i>o</i> -aminothiophenol	33
Benzidine monothio-dicarboxylic ester	85, 93
2 : 3-Benzo-6-phenyl-1 : 4 : 5-thiodiazine	35
Biological fluids—Estimation of pyruvic acid in	50
<i>Brachionus</i> in activated sludge	142
Bulking of sewage	133, 146
<i>Caenomorpha</i> in activated sludge	142
<i>Caesalpinia bonducella</i> —Enzymes from seeds of	191
Cajanin	200
<i>Cajanus Indicus</i> (Pigeon pea)—Proteins of	193
Calcium-content of spiked sandal leaves	244, 301
" " " stems	250
1-Carbethoxyaminonaphthyl-4 : 5-naphthylene-2 : 7-endoxy-1 : 3 : 6-he- ptatriazine	83, 90
<i>N</i> -Carbethoxyphenylene thiourea	82, 89
" " urea	82, 89
Carbohydrates utilised by fungus from lac-insect	70
Caseinogen—Forms of nitrogen in	39
Catalase from <i>Caesalpinia bonducella</i>	191
Chirakkal soil—Abnormal vegetation of <i>Actinomyces</i> in	65
Chironomus larvæ in activated sludge	133
Cholam compared with <i>Zea mais</i>	187
Collodion as a sensitiser in phototropy	9
Compound, $C_2HO_2NS_2$ from thiophenylcarbazinic ester	88

	PAGE.
Concajanin	200
Conductivity, electrical, of thin oil films	207
<i>Culex</i> in activated sludge	142
Cumbu (<i>Pennisetum typhoides</i>)—Amylase from	105
Cystine component of <i>Cajanus indicus</i>	201
" in caseinogen—Estimation of	39
<i>Dero</i> in activated sludge	142
De-watering of activated sludge	147
<i>oo</i> ¹ -Diacetylaminodiphenyl disulphide	34
<i>Sym</i> -Diacetylhydrazine	103
2 : 7-Diallylamino-4 : 5-benzo-1 : 3 : 6-thioheptadiazine	172
Dialysis of malted grain	188
" " sandal enzymes	233
Diastatic activity of spiked sandal leaves	233
Dielectric strength of thin air and oil films	214
Diethylxanthic formic ester—Heterocycloids from	79
2 : 7-Diketo-4 : 5-benzo-1 : 3 : 6-heptatriazine	175
<i>sym-aa</i> ¹ -Dinaphthylurea	103
Diphenyl disulphide—Diazotisation of <i>oo</i> ¹ -diamino-	33
<i>Diptera</i> in activated sludge	142
<i>Distyla</i> in activated sludge	142
<i>Dolichos lablab</i> —Tyrosinase from	110
Dyes in sensitising phototropy	10
<i>n</i> -Eicosanic acid from <i>Sapindus trifoliatus</i>	179
Electro-dialysis of tyrosinase	125
Enzyme action—Studies in	105, 109
Enzymes, diastatic, from sandal leaves	233
" from <i>Casalpinia bonducella</i>	191
" " <i>Zea mais</i>	185
Eosin as a sensitiser in phototropy	11
Erythrosin as a sensitiser in phototropy	11
Ethylenediamine and diethylxanthic formic ester	84, 91
Ethylene monothiodiurethane	84, 91
Ethylene thiourea	84, 91
Fatty acids from <i>Sapindus trifoliatus</i>	179
" —Thin films of	212
Fermentation by lac-fungus—Effect of inorganic salts on	71
Fertilising value of activated sludge	151
Films, thin air and oil—Properties of	207
Foodstuffs, Indian—Proteins of	193
Friction, for thin oil films—Co-efficient of	210
Gelatin as a sensitiser in phototropy	8
" —Forms of nitrogen in	40
Globulins from <i>Cajanus indicus</i>	195
Golgi apparatus of free-living protozoa	73

	PAGE.
Gun arabic as retarding agent in phototropy	9
„ „ utilised by fungus from lac-insect	70
Heterocycloids from diethylxanthic formic ester	79
„ „ phenylene-dicarbamides	165
Hexone bases—Estimation of	38
Histidine component of <i>Cajanus Indicus</i>	203
„ in caseinogen and gelatin—Estimation of	39
Humin-nitrogen in caseinogen and gelatin	39
Hydrazodicarbo-monothiomethylamide	97
Hydrazomonothio-allyldicarbonamide	97
Hydrazomonothio- <i>sym</i> -diphenyldicarbonamide	102
Hydrazomonothio- α -naphthyldicarbonamide	103
Hydrazomonothio- β -naphthyldicarbonamide	101
Hydrazomonothiophenyldicarbonamide and acetic anhydride	98, 101
Hydrazomonothio- <i>o</i> -tolylidicarbonamide	99
Hydrazomonothio- <i>p</i> -tolylidicarbonamide	100
Hydrazomonothio-xylyldicarbonamide	101
Hydrogen-ion concentration of sandal-leaf extract	236
Hydrogen peroxide—Action on tyrosinase of	122
Hydroselenomeric selenocyanide	3
„ „ sulphocyanide... ..	3
Hydrosulphomeric selenocyanide	3
2-Imino-3-acetyl-5-keto 2 : 3 : 4 : 5-tetrahydro-1 : 3 : 4-thiodiazole	101
2-Imino-3 : 4-diacetyl-5-keto-2 : 3 : 4 : 5-tetrahydro-1 : 3 : 4-thiodiazole	101
Iminothio-biazolones—Formation of	94
Iminothio-triazones—Formation of	94
Lac-insect (Mysore)—Symbiotic fungus from	69
<i>Leucophrys</i> in activated sludge	142
Lignoceric acid from <i>Sapindus trifoliatus</i>	179
Lysine component of <i>Cajanus indicus</i>	203
„ in caseinogen and gelatin—Estimation of	39
Malachite green as a sensitiser in phototropy	11
Malting of <i>Lea nalis</i>	186
Melaniu-nitrogen—Estimation of	38
Meldola's blue and micro-organisms	144
Mercuric cyanate, bromo-, chloro- and iodo-	2
„ „ selenocyanide, bromo-, chloro and iodo-	2, 3
Mercury compounds, phototropic—Photo-voltaic properties of	225
„ „ —Photoelectric emission from	23
„ „ —Phototropic compounds of	1
2-Methylamino-4 : 5-benzo-7-thio-keto-1 : 3 : 6-thioheptadiazine	172
Methylene blue and micro-organisms	144
„ „ as a sensitiser in phototropy	11
Methylgreen as a sensitiser in phototropy	11
2-Methylimino-4-acetyl-5-keto-2 : 3 : 4 : 5-tetrahydro-1 : 3 - 4-thiodiazole... ..	97

	PAGE.
Micro-analysis of proteins	39
Microbiology of activated sludge	142
Mitochondria—Relation of Golgi bodies to	76
Mustard oils in action with semicarbazide	97
1 : 2-Naphthylenediamine and diethylxanthic formic ester	90
4 : 5-Naphthylene-2 : 7-endoxy-1 : 3 : 6-thioheptadiazine	83, 90
β -Naphthylthiosemicarbazide carboxylic ester	84, 93
<i>Nematodes</i> in activated sludge	143
Nitrates utilised by fungus from lac-insect	70
Nitrogen-content of spiked sandal-leaves	244, 301
" " sandal-stems	250
Nitrogen—Estimating various forms of	154
" metabolism in sandal	154
" percentage of proteins	37
Oil films—Electrical conductivity of thin	27
" " —Thickness measurements of thin	218
Oleic acid from <i>Sapindus trifoliatus</i>	179
Oxidases from <i>Caesalpinia bonducella</i>	191
Oxidation of sulphur by microbes	275
Oxydiphenylene disulphide—Reduction of	34
Palmitic acid from <i>Sapindus trifoliatus</i>	179
Paramoecium in activated sludge	142
<i>Pennisetum typhoides</i> (cumbu)—Amylase from	105
Peroxidase from <i>Caesalpinia bonducella</i>	191
Phenyl-3-allylthiocarbamide	176
1-Phenylamino-3 : 4-benzo-6-keto-2 : 5 : 7-thioheptadiazine	175
1-Phenylamino-3 : 4-benzo-6-methylamino-2 : 5 : 7-thioheptadiazine	175
6-Phenylamino-3 : 4-benzo-1 : 2 : 5-thiodiazine	177
2-Phenylamino-4 : 5-methylbenzo-7-thioketo-1 : 3 : 6-thioheptadiazine	172
2-Phenylamino-4 : 5-phenylene-7-thioketo-1 : 3 : 6-thioheptadiazine	170
2-Phenyl-4 : 5-benzo-7-phenylamino-1 : 3 : 6-thioheptadiazine	177
1-Phenylcarbamido-2-allylthiocarbamidobenzene	175
1-Phenylcarbamido-2-methylthiocarbamidobenzene	175
1-Phenylcarbamido-2-phenylthiocarbamidobenzene	174
1-Phenylcarbamido-2- <i>p</i> -tolylthiocarbamidobenzene	174
<i>o</i> -Phenylenediallylthiourea	172
<i>o</i> -Phenylenediamine and diethylxanthic formic ester	89
Phenylenedicarbamides—Heterocycloids from	165
<i>o</i> -Phenylenedimethyldithiocarbamide	172
<i>o</i> -Phenylene- <i>sym</i> -diphenylcarbamide	175
<i>o</i> -Phenylenediphenylidithiocarbamide	170
<i>o</i> -Phenylenedi- <i>o</i> -tolylidithiocarbamide	171
<i>o</i> -Phenylenedi- <i>p</i> -tolylidithiocarbamide	171
<i>o</i> -Phenylenedi-(1 : 3 : 4)-xylyldithiourea	171
<i>o</i> -Phenylene- <i>sym</i> -phenylallyldithiourea	173

	PAGE.
<i>o</i> -Phenylene- <i>sym</i> -phenyl- <i>o</i> -tolyldithiourea	173
<i>o</i> -Phenylene- <i>sym</i> -phenyl- <i>β</i> -tolyldithiourea	174
<i>o</i> -Phenylene-thiourea	175
Phenylene urea	82, 89
Phenyldiazine—Action of heated sulphur on benzoyl-	35
„ „ Action of diethylxanthic formic ester on	87
2-Phenylimino-3-acetyl-5-keto-2 : 3 : 4 : 5-tetrahydro-1 : 3 : 4-thio- diazole	99
2-Phenylimino-3 : 4-diacetyl-5-keto-2 : 3 : 4 : 5-tetrahydro-1 : 3 : 4-thio- diazole	99
1-Phenyl-2-keto-4 : 5-benzo-7-thioketo-1 : 3 : 6-heptatriazine	174
Phenyl-3-methylthiocarbamide	176
1-Phenyl-2-phenylimino-5-thiol-2 : 3-dihydro-1 : 3 : 4-triazole	102
Phenylthiocarbamidophenylurethane	178
4-Phenylthiosemicarbazide carboxylic ester	84, 93
Phenyl-3- <i>o</i> -tolylthiocarbamide, 1- <i>o</i> -amino	176
Phenyl-3- <i>β</i> -tolylthiocarbamide, 1- <i>o</i> -amino	176
<i>Philodinia</i> in activated sludge	142
Phosphorus-content of spiked sandal-leaves	301
„ „ „ sandal-stems	250
Photoelectric emission from compounds of mercury	17
Phototropic compounds of mercury	1
„ „ —Photoelectric emission from	17
„ „ mercury compounds—Photo-voltaic properties of	225
Photo-voltaic properties of phototropic mercury compounds	225
Pigeon pea—Proteins of	193
Plate method for counting soil <i>Actinomyces</i>	253
Potato—Tyrosinase from	123
Protease from <i>Caesalpinia bonducella</i>	191
Proteins characterised in very small quantity	37
„ of Indian foodstuffs	193
Protein solutions—Estimation of pyruvic acid in	48
Protease from <i>Cajanus Indicus</i>	195
Protozoa (free-living)—Golgi apparatus of	73
„ in activated sludge	142
Pyruvic acid—Estimation of	41
<i>Rotifera</i> in activated sludge	143
Sandal leaf-extract—Chemical composition of	242, 301
„ —Spike-disease of	153, 233, 295
„ stem-extract—Chemical composition of	247
<i>Santalum album</i> —Spike-disease of	153, 233, 295
<i>Sapindus trilobatus</i> —Oil from seeds of	179
Seasonal effect on composition of sandal-saps	301
Semicarbazine in action with diethylxanthic formic ester	84, 92
„ „ „ mustard oils	97
„ „ „ monothiocarboxylic ester	84, 92

	PAGE.
Sensitisation of phototropy by dyes	10
Sewage, Indian, compared with Western	139
„ treatment by activated sludge process	131
Soap-nut tree—Oil from seeds of	179
Soil—Protozoa from	74
Spectroscopy of phototropic mercury compounds	6
<i>Sphaerotilus natans</i> in activated sludge	147
Spike-disease of sandal	153, 233, 295
Standardisation of method for counting <i>Actinomyces</i>	253
Starch-liquefaction by sandal leaf-extracts	251
Stearic acid from <i>Sapindus trifoliatus</i>	179
<i>Stylonichia</i> in activated sludge	142
Sulphur—Biological oxidation of	275
„ -oxidising organism from activated sludge	278
Symbiotic fungus from the Mysore lac insect	69
Temperature-coefficient of photo-potential	230
1:3:4—Thiodiazole, 2-amino-4-carboxy-5-keto-4 : 5-dihydro-	85, 93
Thiodicarbo-monothiodi- β -naphthylamide	87
Thiodicarbo-monothiodi- <i>m</i> (and <i>p</i> -) nitranilides	87
Thiodicarbo-monothiodiphenylamide	86
Thiodicarbo-monothiodi- <i>o</i> -tolylamide	86
Thiodicarbo-monothiodi- <i>p</i> -tolylamide	87
<i>o</i> -Thiolphenylhydrazine—Attempts to synthesise	31
Thiophenol—Disulphide of <i>o</i> -amino-... ..	33
Thiophenylcarbazine ester	87
„ „ „ <i>p</i> -nitro-	88
Thiosemicarbazide carboxylic ester	84, 93
„ with diethylxanthic formic ester	84, 92
Tolidine monothiodicarboxylic ester	85, 93
<i>o</i> -Toluylenediphenyldithiocarbamide	172
6- <i>p</i> -Tolylamino-3:4-benzo-1:2:5-thiodiazine	177
2- <i>o</i> -Tolylamino-4:5-phenylene-7-thio keto-1:3:6-thioheptadiazine	171, 173
2- <i>p</i> -Tolylamino-4:5-phenylene-7-thio keto-1:3:6-thioheptadiazine	171, 174
2- <i>o</i> -Tolylimino-3-acetyl-5-keto-2:3:4:5-tetrahydro-1:3:4-thiodiazole	99
2- <i>o</i> -Tolylimino-5-keto-2 : 3 : 4 : 5-tetrahydro-1 : 3 : 4-thiodiazole	100
2- <i>p</i> -Tolylimino-5-keto-2 : 3 : 4 : 5-tetrahydro-1 : 3 : 4-thiodiazole	100
<i>p</i> -Tolyl-2-imino-5-thiol-3-acetyl-2 : 3-dihydro-1 : 3 : 4-triazole	100
1- <i>p</i> -Tolyl-2-keto-4 : 5-benzo-7-thio keto-1 : 3 : 6-heptatriazine	174
4- <i>p</i> -Tolylthiosemicarbazide carboxylic ester	84, 93
Trimercuric dioxydisulphocyanide	4
„ diselenodibromide	4
„ diselenodichloride	4
„ diselenodi-iodide	4
„ disulphodichloride	3
„ disulphodiselenocyanide	4

	PAGE
Trimercuric disulphodisulphocyanide	14
<i>Trochelmithes</i> in activated sludge	19
Tryptophan component of <i>Cajanus Indicus</i>	10
Tyrosinase	20
Tyrosine component of <i>Cajanus Indicus</i>	11.
" —Enzyme oxidation of	12
Ultra-filtration of tyrosinase	21
Ultra-violet light—Action on mercury compounds of	12
" " —Action on tyrosinase of	19
Urease from <i>Caesalpinia bonducella</i>	7 ^a
Uric acid utilised by fungus from lac-insect	3
Van Slyke's method of characterising proteins	14
<i>Vermes</i> in activated sludge	14
<i>Vorticella</i> " "	17
2-(1 : 3 : 4-) Xylylamino-4 : 5-phenylene-7-thioke-1 : 3 : 6-thioheptadiazine	10
2-Xylylimino-3-acetyl-5-keto-2 : 3 : 4 : 5-tetrahydro-1 : 3 : 4-thiodiazole	18
<i>Zea mais</i> —Amylase from	