

	PAGE
Sanjiva Rao, B., see Shintre, V. P.	84
Shintre, V. P. and Sanjiva Rao, B.	84
Sreenivasa Rau, Y. V. and Sreenivasaya, M.	122
Sreenivasaya, M. and Sreerangachar, H. B.	17
Sreenivasaya, M., see Sreenivasa Rau, Y. V.	122
Sreerangachar, H. B., see Sreenivasaya, M.	17
Subrahmanyam, V., see Giri, K. Venkata	107
Subrahmanyam, V., see Jagannatha Rao, J.	89
Subramania Sastry, M., see Patwardhan, V. N.	1
Tummin Katti, M. C. and Patwardhan, V. N.	9
Watson, H. E., see Gajendragad, N. G.	59
Watson, H. E., see Raghunatha Rao, Y. K.	41

SUBJECT INDEX

	PAGE
Acetoacetic ester combined with <i>isopropylidenemalonic ester</i>	135
Acetone dichloride	129
Acids from Bhadravati wood-tar	45
<i>Actinomyces</i> in preparing manure	97
Activated sludge as a biological starter	94
Ageing of amylases	107
Alcohols, sesquiterpene, from Indian essential oils	71, 75, 84
Alum, potassium, as catalyst	59
Amylases—Ageing of	107
<i>Andropogon Kuntzeanus</i> —Essential oil from	75
Antimonials as trypanocides	23
Antimony in organic derivatives—Estimation of	30
Arachidyl alcohol from <i>Plumbago rosea</i>	11
Arginase-arginine reaction—Dilatometric study of	21
Arginine in proteins of fenugreek	124
Bactericidal effect of Bhadravati phenols	55
Barley-amylase—Ageing of	110
Bases from Bhadravati wood-tar	45
Benzanilide- <i>pp'</i> -distibinous oxide	35
Benzidine—Antimony derivatives from	30
Benzophenone- <i>pp'</i> -distibinic acid	31
Benzoyl- <i>p'</i> -acetylaminoanilide, <i>p</i> -nitro-	35
Bhadravati wood-tar—Components and utilisation of	41
" " —Cracking of	56
" " —Lamp-black from	53
Bis- <i>p</i> -aminophenylazomethine	33
Bis-phenylazomethine- <i>pp'</i> -distibinous oxide	33

	PAGE
Bordeaux mixture used in preparing manure	90
Borneol from <i>Andropogon Kuntzeanus</i>	77
" in <i>Thymus serpyllum</i> —Probable presence of	83
Bridge formation—Studies in	125
<i>B. typhosus</i> in testing phenols	55
Butyric acid from Bhadravati wood-tar	44
Cadalin by dehydrogenation of sesquiterpenes	74, 77
<i>dl</i> -Cadinene dihydrochloride from <i>Litsæ Zeylanica</i>	74
Camphene-camphoric acid	77
<i>l</i> -Camphene from <i>Andropogon Kuntzeanus</i>	76
<i>sym</i> -Carbohydrazinodiphenylene- <i>pp'</i> -distibinic acid	34
Carvacrol from <i>Thymus serpyllum</i>	79
α -Caryophyllene from <i>Cinnamomum Zeylanicum</i>	86
" " <i>Litsæ Zeylanica</i>	74
Catalysis-apparatus—New type of	60
Catechol from Bhadravati wood-tar	50
Chitramul (<i>Plumbago rosea</i>)—Constituents of	9
Chloracetol—Boiling point of	129
<i>Cinnamomum Zeylanicum</i> —Essential oil from	84
Cærulignol from Bhadravati wood-tar	50
Composting experiments	89
Compound, $C_8H_{10}O$	136
" $C_9H_{12}O_4$	135
" $C_{16}H_{26}O_7$	135
" $C_{24}H_{30}O_{12}$	130
" C_8H_9OBr	137
" $C_8H_{10}OBr_2$	137
Copper in relation to sewage microllora	97
Creosol from Bhadravati wood-tar	53
<i>o</i> -, <i>m</i> - and <i>p</i> -Cresol from Bhadravati wood-tar	47
Cumbu amylase—Ageing of	110
Curing of hides in S. India	2
<i>p</i> -Cymene from <i>Thymus serpyllum</i>	82
Cystine in proteins of fenugreek	124
Dehydration of methyl alcohol by catalysis	60
4:4'-Diacetylamino-diphenylethylenediamine	33
4:4'-Diacetylamino-diphenylmethylenediamine	33
<i>sym-pp'</i> -Diacetyldiamino-diphenylazodicarbonamide	34
Dialysis of enzymes	112
Diastase-starch reaction—Dilatometric study of	21
Dihydromyrcene tetrabromide	73
Dihydro-ocimene	73
Dihydroxystearic acid	12
Dilactone, $C_9H_{12}O_4$ —Vörlander's	135
Dilatometer—New type of	18

	PAGE
Dilatometric studies in enzyme action	17
3:3'-Dimethoxydiphenylene-4:4'-distibinous oxide	31
Dimethyldihydroresorein from ethyl <i>cyclohexane-1:1-dimethyl-3:5-diketo-2:6-dicarboxylate</i>	135
3:3-Dimethyldiphenylene-4:4'-distibinous oxide	31
1-Dimethylethane-1:2:2 III 1:1:1- <i>cyclobutane-2-one</i>	135
Dimethyl ether, methyl alcohol and water—Equilibrium between	59
$\beta\beta$ -Dimethylglutaric acid from the compound, $C_8H_{10}O$	137
Diphenylene- <i>pp'</i> -distibinous oxide	30
Diphenylhydrazodicarbonamide, <i>sym-pp</i> -diamino-	34
Diphenylmethane- <i>pp'</i> -distibinous oxide	31
Diphenyl- <i>m</i> -tolylmethane- <i>ppp</i> -tristibinous oxide	31
Diphenyl- <i>m</i> -tolylmethylecarbinol- <i>ppp</i> -tristibinic acid	31
Diphenylurea—Antimony derivatives from	32
Disinfecting power of Bhadravati phenols	55
Distibinic acids and related compounds	23
Distibinotetramethylenetetraphenylene	31
<i>pp'</i> -Distibinotetraphenylene	30
Emulsin-amygdalin reaction—Dilatometric study of	21
.. -salicin	21
Enzyme action—Dilatometric study of	17
Enzymes—Inactivation of	107, 117
Equilibrium between dimethyl ether, methyl alcohol and water	59
Ernakulam salt used in curing hides	4
Essential oils, Indian	71
Ethylene diaminodiphenylene- <i>pp</i> -distibinous oxide	33
Eugenol from <i>Cinnamomum Zeylanicum</i>	87
Farmyard-manure compared with refuse-manure	98
Fatty acids from chitramul (<i>Plumbago rosea</i>)	11
Fenugreek (<i>Trigonella fœnum Græcum</i>)—Proteins of	122
Fertiliser from sewage, town-refuse and waste vegetation	89
Fixation of nitrogen during decomposition of refuse	96
Geraniol from <i>Andropogon Kuntzeanus</i>	77
Germicides used in preparing manure	90
Globulins—Distribution of nitrogen in	123
Glucose from chitramul (<i>Plumbago rosea</i>)	13
Glucoside from chitramul (<i>Plumbago rosea</i>)	12
Guaiacol in Bhadravati wood-tar	50
Halophilic bacteria in curing hides	3
Heerabolene in <i>Litsæ Zeylanica</i> —Probable presence of	74
<i>cycloHexane-1:1-dimethyl-3:5-diketo-2:6-dicarboxylic acid, ethyl ester</i>	135
<i>cycloHexane-2:3-dione-1:4-dicarboxylic acid, esters, phenazine and semicarbazone</i>	128
<i>cycloHexenone, bridged, from ethyl cyclohexane-1:1-dimethyl-3:5-diketo-2:6-dicarboxylate</i>	136

	PAGE
Hides, South Indian—Salt stains in	1
Histidine in proteins of fenugreek	142
Homocatechol in Bhadravati wood-tar	50
Hydrazobenzene- <i>pp'</i> -distibinous oxide	35
Hydrazodicarbonaminodiphenylene- <i>pp</i> -distibinic acid	35
Hydrocarbon from chitramul (<i>Plumbago rosea</i>)	12
Hydrocarbons from cracking Bhadravati wood-tar	56
Hydrogen-ion concentration of enzyme solutions	111, 119
Insecticides used in preparing manure	92
Invertase-sucrose reaction—Dilatometric study of	17
Khari salt used in curing hides	4
Lamp-black from Bhadravati wood-tar	53
Leucaniline—Antimony compound from	31
Lignoceric acid from chitramul (<i>Plumbago rosea</i>)	11
Linoleic acid	12
<i>Litsæ Zeylanica</i> —Essential oil from leaves of	71
Lysine in proteins of fenugreek	124
Malabar hides and skins—Salt stains in	2
Malonaminodiphenylene- <i>pp</i> -distibinic acid	34
Manure from sewage, town-refuse and waste vegetation	89
Melanin in proteins of fenugreek	123
Methyl alcohol in equilibrium with dimethyl ether and water	60
Methylenediaminophenylene-4:4'-distibinous oxide	33
Micro-organisms observed in curing hides	3
1:4-Naphthylenedistibinic acid	30
Night-soil composted with refuse for manure	101
Nitrogen-fixation during decomposition of refuse	96
Ocimene and <i>allo</i> -ocimene from <i>Litsæ Zeylanica</i>	73
Oil, neutral, from Bhadravati wood-tar	52, 56
Oils, essential—Indian	71
Oleic acid from chitramul (<i>Plumbago rosea</i>)	12
<i>sym</i> -Oxalaminodiphenylene- <i>pp</i> -distibinic acid	34
Pancreatic amylase—Heat inactivation of	117
<i>Pennisetum typhoidcum</i> (cumbu)—Ageing of amylase from	110
<i>cyclo</i> Pentan-1-one-2-carboxylic acid, methyl ester and semicarbazone	129
<i>l</i> - β -Phellandrene from <i>Cinnamomum Zeylanicum</i>	86
Phenol from Bhadravati wood-tar	47
,, derivatives from <i>Thymus serpyllum</i>	80
Phenols estimated in mixtures	49
<i>m</i> - and <i>p</i> -Phenylenedistibinic acids	30
Phosphoric acid used in preparing manure—Forms of	92
Physiological effects of plumbagin on animals	14
Phytosterolin from chitramul (<i>Plumbago rosea</i>)	10
α -Pinene from <i>Andropogon Kuntzeanus</i>	76
<i>l</i> - α ,, ,, <i>Cinnamomum Zeylanicum</i>	86

	PAGE
α -Pinene from <i>Litsæ Zeylanica</i>	72
Plumbagin from chitramul (<i>Plumbago rosea</i>)	10
<i>Plumbago rosea</i> root-bark—Constituents of	9
<i>Plumbago Zeylanica</i> —Plumbagin from	13
Polyhydroxyphenols in Bhadravati wood-tar	50
Potash in artificial manure—Availability of	96
Propionic acid from Bhadravati wood-tar	45
<i>iso</i> -Propylbenzoic acid, <i>p</i> -hydroxy-	82
<i>iso</i> -Propylidenemalonic ester with acetoacetic ester	135
Proteins of fenugreek	122
Pyrogallol dimethyl ether from Bhadravati wood-tar	51
Ragi grown with artificial manure	98
Reactivation of enzymes—Attempts at	115
Resorcinol monomethyl ether from Bhadravati wood-tar	51
Rosaniline—Antimony compound from	31
Salt stains in South Indian hides and skins	1
Selenium—Dehydrogenation of sesquiterpenes by	74
Sesquiterpenes from Indian essential oils	71, 78, 84
Sewage converted into manure	89
Sitosterol from chitramul (<i>Plumbago rosea</i>)	11
Skins, South Indian—Salt stains in	1
Stains in skins—Artificial production of	5
Starters used in preparing manure	92
Stibination of aromatic amines	36
Stilbene-4 : 4'-distibinic acid and distibinous oxide	32
Succinaminodiphenylene- <i>pp</i> -distibinic acid	34
Sulphuric acid as catalyst	65
Superphosphate to increase crop-yield	104
Taka-diastrase—Change in activity of	112
Terpene alcohols from <i>Litsæ Zeylanica</i>	73
Terpenes from Indian essential oils	71, 75, 78, 84
<i>trans</i> -Terpin from <i>Cinnamomum Zeylanicum</i>	86
γ -Terpinene from <i>Thymus serpyllum</i>	82
α -Terpineol in <i>Thymus serpyllum</i> —Probable presence of	83
γ - " from <i>Cinnamomum Zeylanicum</i>	86
Tetrahydroxystearic acid—Melting point of	12
Thymol from <i>Thymus serpyllum</i>	79
<i>Thymus serpyllum</i> —Essential oil from	78
<i>o</i> -Tolidine—Antimony compound from	31
Town-refuse converted into manure	89
<i>Trigonella fœnum Græcum</i> (fenugreek)—Proteins of	122
Triphenylarsine- <i>mmm</i> -tristibinic acid	36
Triphenylphosphine- <i>mmm</i> -tristibinic acid	35
Triphenylstibine- <i>mmm</i> -tristibinic acid	36
Trivandrum salt used in curing hides	4