SUBJECT INDEX

Vol. 17 (A)-1934

			PAGE
Acorus Calamus, Linn., Essential Oil from the Rhizomes of	• •		25
Amylases, On the Characterisation of Different			127
Anacardium occidentale, Linn., see Cashew Apple.			
Arsenic, Distribution of,-in Sandalwood Treated with Sodium	Arsenite		131
Avaram Bark (Cassia auriculata, Linn.), Manufacture of Tanni	in Extrac	:t	
from	• •		95
Azo-dyes and Diazo-oxy Compounds	• •		41
Buffering Capacity. See Hydrogen-ion Concentration.			
Cadmium Carbonate, The Thermal Dissociation of			1
Carbon in Soils, Determination of			197
Casein, Vegetable, from Pongamia glabra			49
Cashew Apple (Anacardium occidentale, Linn.), Preparation	of Suga	r	
Syrup from			85
Cassia auriculata, Linn. See Avaram Bark.			
" See Tannin in Plant Materials.			
Characterisation of Different Amylases			127
Chlorine in Water, Estimation of, by the o-Tolidine Method			141
Cobaltinitrite Method, Estimation of Potassium by	1.0		105
Curcuma Longa, Linn., Essential Oil from the Rhizomes of			7
Cyclohexane, Raman Effect in Certain Derivatives of			175
Diazo-oxy Compounds. See Azo-dyes.			
Dimethyldihydroresorcin, Reactivity of			41
Disease Resistance. See Hydrogen-ion Concentration.			
Dissociation, Thermal, of Cadmium Carbonate	• •	٠.	1
Dyes, Azo See Azo-dyes.			
Emulsions, Petrol-Water			75
Essential Oil from the Rhizomes of Acorus Calamus, Linn.		٠,	25
" Curcuma Longa, Linn.		٠.	7
Essential Oils, Indian, Studies in, Part V	* *	٠.	7
" " Part VI		٠.	25
Fluctuations, Periodic, in Certain Soil Constituents	• •		113
Gas from Indian Oil Wells	• •		33
Hydrogen-ion Concentration, and Buffering Capacity as Factors	of Diseas	se	
Resistance	• •	٠.	153
Resistance Indian Essential Oils, Studies in, Part V	• •		7
, " " Part VI			25
Indigenous Tanning Materials, Utilisation of, Part I			95
Non-Edible Seeds and Seed-Cakes, Utilisation of, Part I			49

			PAGE	C
		\$402 0 0	33	
Oil Wells, Gas from Indian Chlorine in Water by		2005000	141	
Oil Wells, Gas from Indian Oil Wells, Gas from Indian o-Tolidine Method, Estimation of Chlorine in Water by o-Tolidine Method, Estimation of Constituents, Constit	on the	Nature a	nd	
o-Tolidine Method, Estimation of Chlorine in Water by Periodic Fluctuations in Certain Soil Constituents, C	on the .		113	
Extent of			75	
Empleions, Part II	* *		49	
Petrol-Water Emulsions, Pongamia glabra, Vegetable Casein from Pongamia glabra, Vegetable Casein from			105	
Pongamia glabra, Vegetable Casell Holls Potassium, Estimation of, by the Cobaltinitrite Method Potassium, Estimation of Derivatives of Cyclohexane	• •	3 4 A		
Potassium, Estimation of, by the Costante Raman Effect, in Certain Derivatives of Cyclohexane		# Ä	175	
Compa Lempiles	• 10	* *	9	
" D'methyldihydroresorciii. Part 111	¥ *	* *	41	
a distinct to the Silicy of Direct Discussion			131, 153	
Sandal-wood Treated with Sodium Arsenite, Arsenic in	1	• •	131	
The Con Shippellisease of Danses				
		1 TO	49	
. Distillution of Arcenic in Calludia	WOOU II	carca		
Soil Constituents, On the Nature and Extent of Perio	dic Fluo	ctuations	in 113	
Soil Constituents, On the Nature and Extent of I care		7-50-42	197	
Soils, Determination of Carbon in	Contribu	itions to		
Spike-Disease of Sandal (Santalum Album, Linn.),	Contribu	tions to	131	
Study of, Part XVI	Contribu	itions to		
Spike-Disease of Sandal (Santalum Album, Linn.),	Contribu	itions to	153	6000
Study of, Part XVII		;; ;;		
Sugar Syrup from Cashew Apple (Anacardium occid	entale,	Linn.), F	Te- or	
paration of	* **		85	CE05021
Tannin Extract from Avaram Bark (Cassia auriculat	a, Linn.), Manu	tac-	
ture of	Market M	16 1000	95	
Tannin in Plant Materials, Estimation of, Part I	• •	1 (3)	165	22
Tanning Materials, Indigenous, Utilisation of	14.7 5			
Terpenes, Raman Effect in Some	• •	\$65 \$45 \$45 \$55 \$55	189	
Thermal Dissociation of Cadmium Carbonate			., 1	
Vegetable Casein from Pongamia glabra and Its App	lications		49)
Viscosity (of Petrol-Water Emulsions)			75	;
Commission and Commis		10 % 2000-201		
Val 17 (D) 1024				
Vol. 17 (B)—1934				
Atmospherics, at Bangalore during the Polar Year			1	
Breakdown Voltage of Dielectrics, Effect of Superimp	osed Ma	gnetic Fi	elds	
on the			19)
Brush Contact D. G. Transformer Oil, Effect of I	mpuritie	es on	79)
Diusii Contact Drop in D.C. Machines	220 E	2 m 2 manan	91	İşa Şi
. D.C. Machines, Brush Contact Drop in			91	i
Dielectric Strength of Liquids Effect of Successive 1	Dischara	res on the	69	<u>10.</u> 76
raft 1	- iociiai g		19	127
" Part II	***	. •	34	28
" " Part III	**		69	
" " Part IV			0	
es (GCASSERVE VEED VEED VEED VEED VEED VEED VEED			20 14	7

		PAGE
Discharges, Effect of Successive, on the Dielectric Strength of Liquids		69
Dry Cells, Potential of, with Magnesium Chloride Electrolyte		101
Impurities, Effect of, on the Breakdown Voltage of Transformer Oil		79
Liquids, Dielectric Strength of		. 69
Magnesium Chloride Electrolyte, Potential of Dry Cells with		101
Magnetic Fields-Effect of, on the Permittivity and Power Factor of D	i-	
electrics		34
Magnetic Fields-Effect of Superimposed, on the Breakdown Voltage	of	
Dielectrics		19
Permittivity and Power Factor of Dielectrics, Effect of Superimpose	\mathbf{d}	
Magnetic Fields on the	٠.	34
Potential of Dry Cells with Magnesium Chloride Electrolyte	٠.	101
Power Factor of Dielectrics. See Permittivity.		
Radio Field Intensity Measurements at Bangalore during the Polar Yea	r	47
Superimposed Magnetic Fields, Effect of, on the Breakdown Voltage	of	
Dielectrics	• •	. 19
Superimposed Magnetic Fields, Effect of, on the Permittivity and Powe	r	
Factor of Dielectrics	•	34
Transformer Oil. Breakdown Voltage of	2 - 0.64	. 79