

Author Index

	PAGE
Acharya, C. Narasimha and Sastri, B. N.	1
Ayyar, P. Ramaswami, see Iyer, B. H.	40
Chakravarti, G. C., Chattopadhyaya, H. and Ghosh, P. C.	141
Chakravarti, G. C., see Iyer, B. H.	157
Chattopadhyaya, see Chakravarti, G. C.	141
Ghosh, P. C., see Chakravarti, G. C.	141
Giri, K. Venkata, Mirchandani, T. J. and Subrahmanyam, V.	67
Giri, K. Venkata and Subrahmanyam, V.	78
Guha, P. C., see Iyer, B. H.	31
Iyer, B. H. and Ayyar, P. Ramaswami	40
Iyer, B. H. and Chakravarti, G. C.	157
Iyer, B. H. and Guha, P. C.	31
Karmarkar, D. V. and Patwardhan, V. N.	47
Karmarkar, D. V., see Patwardhan, V. N.	51
Kothari, C. J. and Watson, H. E.	11
Mirchandani, T. J., see Giri, K. Venkata	67
Patwardhan, V. N. and Karmarkar, D. V.	51
Patwardhan, V. N., see Karmarkar, D. V.	47
Pillai, T. R. Narayana and Subrahmanyam, V.	99
Rangaswami, S., see Sreenivasaya, M.	59
Sastri, B. N., see Acharya, C. Narasimha	1
Sathe, T. R., and Subrahmanyam, V.... ..	119
Sreenivasaya, M. and Rangaswami, S.	59
Subrahmanyam, V., see Giri, K. Venkata	67, 78
Subrahmanyam, V., see Pillai, T. R. Narayana	99
Subrahmanyam, V., see Sathe, T. R.	119
Watson, H. E., see Kothari, C. J.	11

Subject Index

	PAGE
<i>Acacia pennata</i> and <i>sundra</i> in relation to sandal-spike	64
<i>Acalypha indica</i> in relation to sandal-spike	64
Acenaphthaquinone in oxidation of benzaldehyde—Effect of 2-Acetaminobenzylidenedimethyldihydroresorcin	25
Acridinic acid from 1-keto-3-dimethyltetrahydroacridine	169
Acridinic acid from 1-keto-3-dimethyltetrahydroacridine	168
<i>Actinomyces scabies</i> —Inoculation of seeds with... ..	129
Aldehydes, aromatic, condensed with dimethyldihydroresorcin	141
Aluminium salts in <i>Kari</i> soil	107
Amino-acids without influence on amylase action	50

	PAGE
Amylase action as affected by proteins of malt	97
„ from cereals—Dialysis of	54
„ „ rice	47
Anisaldehyde condensed with dimethyldihydroresorcin	153
<i>Anona squamosa</i> examined for specific bacteria	122
Anthraquinone as catalyst in photochemical oxidation	12
„ in oxidation of benzaldehyde—Effect of	20
Arachidic acid from oil of cantharis	42
<i>Arachis hypogæa</i> examined for specific bacteria	122
<i>Ardisia crenulata</i> , <i>crispa</i> and <i>humilians</i> examined for specific bacteria	122
<i>Areca catechu</i> examined for specific bacteria	122
Ash constituents from tissue fluids (<i>Phaseolus vulgaris</i>)	5
<i>Asparagus racemosus</i> in relation to sandal-spike	63
<i>Aspergillus</i> —Contamination of seeds by	123
„ <i>niger</i> —Inoculation of seeds with	129
<i>Atalantia monophylla</i> in relation to sandal-spike	64
<i>Atylosia albicans</i> in relation to sandal-spike	63
<i>Bacillus coli</i> —Inoculation of seeds with	129
„ <i>dendroides</i> —Contamination of seeds by	123
„ <i>lactis aerogenes</i> —Inoculation of seeds with	129
Bajri-malt—Nitrogen content of	53
<i>Barleria buxifolia</i> in relation to sandal-spike	63
Barley germination as affected by electro-culture	78
„ grains examined for specific organisms	124
„ malt—Nitrogen content of	53
Beans examined for specific organisms	124
Benzaldehyde condensed with dimethyldihydroresorcin	153
„ <i>o</i> -amino- and <i>o</i> -nitro-, condensed with dimethyldihydro- resorcin	157
„ <i>o</i> -hydroxy- and <i>p</i> -hydroxy-, condensed with dimethyldihy- droresorcin	150
„ <i>m</i> - and <i>p</i> -nitro-, condensed with dimethyldihydroresorcin... ..	155
„ —Photochemical oxidation of	16
Benzaldimethyldihydroresorcin, bromination of <i>p</i> -methoxy- and <i>p</i> -hydro- xy- <i>m</i> -methoxy-	154
„ 3 : 4-dihydroxy-	152
„ <i>o</i> -nitro-	170
„ <i>m</i> - and <i>p</i> -nitro-... ..	155
Benzaldimethyldihydroresorcin anhydride, <i>o</i> -acetoxy-, <i>o</i> -benzoxy- and <i>o</i> -hydroxy-	150
„ „ bromo- and nitroso-derivatives	151
and phenylhydrazone	151
„ „ <i>p</i> -hydroxy- and 2 : 4-dihydroxy-	151
Benzoic acid from toluene by photochemical oxidation	13
„ „ in oxidation of benzaldehyde—Effect of	19

	PAGE
Benzoic acid <i>o</i> -, <i>m</i> - and <i>p</i> -chloro- in oxidation of benzaldehyde—Effect of	20
Benzoquinone as catalyst in photochemical oxidation	15
Benzotrichloride in oxidation of benzaldehyde—Effect of	20
Benzyl chloride in oxidation of benzaldehyde—Effect of	20
Bleaching powder in sterilising seed-coats	126
Blister beetles—Chemical examination of	36
<i>Breynia rhamnoides</i> in relation to sandal-spike	63
<i>Bridelia retusa</i> in relation to sandal-spike	63
<i>Cajanus Indicus</i> examined for specific organisms	122
Calcium salts in <i>Kari</i> soil	107
Camphorquinone as catalyst in photochemical oxidation	15
<i>Cannabis sativa</i> examined for specific organisms	122
Cantharidin from <i>Mylabris pustulata</i>	31
,, hydrazide, benzylidene derivative	38
<i>Canthium didymum</i> in relation to sandal-spike	63
<i>Cassia tora</i> examined for specific organisms	122
Catechol in oxidation of benzaldehyde—Effect of	26
Celluloses in <i>Kathira</i> grass	102
Cinnamic aldehyde condensed with dimethyldihydroresorcin	155
<i>Cipadessa fruticosa</i> in relation to sandal-spike	63
<i>Citrus acida</i> examined for specific organisms	122
<i>Clausena willdenovii</i> in relation to sandal-spike	64
Climatic survey of sandal areas	62
<i>Cocos nucifera</i> examined for specific organisms	122
Copper sulphate in sterilising seed-coats	126
Cotton examined for specific organisms	124
<i>Cudrania Javanensis</i> in relation to sandal-spike	63
Darkness as affecting properties of plant tissue fluids	5
Dialysis of enzymes	51
Diastatic activity as affected by electro-culture	81
,, ,, of tissue fluids (<i>Phaseolus vulgaris</i>)	5
2 : 6-Diketo-4-dimethyl- 2'-acetaminohexahydrobenzhydrol	168
Dimethyldihydroresorcin condensed with aromatic aldehydes	141, 157
1 : 2-Dimethylcyclohexene from dimethylcyclohexanol	39
2-Dimethyl-4-keto- <i>N</i> -acetyltetrahydrobenzoquinoline	169
2-Dimethyl-4-keto-7-nitro- <i>N</i> -acetyltetrahydrobenzoquinoline	170
2-Dimethyl-4-ketotetrahydrobenzopyranol anhydrochloride	149
2-Dimethyl-4-ketotetrahydrobenzoquinoline	169
<i>Dioscorea oppositifolia</i> in relation to sandal-spike	63
<i>Dodonea viscosa</i> in relation to sandal-spike	63
<i>Dolichos lablab</i> examined for specific organisms	129
<i>Ehretia buxifolia</i> in relation to sandal-spike	63
Electro-culture—Studies in	67, 78
Electro-dialysis of enzymes	56
<i>Eleusine coracana</i> (ragi)—Nitrogen content of malt from	53

	PAGE
Enzymes inactivated by dialysis	54
<i>Erythroxylon monogynum</i> in relation to sandal-spike	63
Fatty acids from <i>Mylabris pustulata</i>	40
<i>Ferronia clephantis</i> examined for specific organisms	122
Ferrous aluminium sulphate in <i>Kari</i> soil	116
French beans (<i>Phaseolus vulgaris</i>)—Changes in tissue fluids of	1
Germination affected by sterilising the seed-coats	127
„ of barley as affected by electro-culture	87
<i>Gossypium herbaceum</i> examined for specific organisms	122
<i>Hansenia apiculata</i> —Inoculation of seeds with	129
Heartwood formation in sandal	61
<i>Holarrhena antidysenterica</i> in relation to sandal-spike	63
<i>Hordeum vulgare</i> examined for specific organisms	122
Host-plants of sandal in relation to spike-disease	63
Humin in <i>Kari</i> soil and <i>Kathira</i> grass	106
Hydrazine hydrate—Action of cantharidin on	38
Hydrogen-ion concentration of tissue fluids (<i>Phaseolus vulgaris</i>)	4
Inactivation of enzymes by dialysis	54
<i>Indigofera tinctoria</i> examined for specific organisms	122
Inhibition of benzaldehyde oxidation by phenols... ..	26
Insect-attack—Resistance of sandal to	60
Iron salts in <i>Kari</i> soil	107
Jawari-malt—Nitrogen content of	53
<i>Kari</i> soils—Origin and nature of	99
<i>Kathira</i> grass in peaty soils of Travancore	99
1-Keto-3-dimethyl-7-nitrotetrahydroacridine	169
1-Keto-3-dimethyltetrahydroacridine, picrate, chloroplatinate and methio- dide	167
Knop's nutrient as affecting germination	131
Kuttanad areas—Origin of	100
Lactic acid in germinating seeds	130
<i>Lantana camera</i> in relation to sandal-spike	64
Lignin in <i>Kari</i> soil and <i>Kathira</i> grass	102
<i>Limonia acidissima</i> in relation to sandal-spike	64
Lodging associated with accumulation of leaf-nitrogen	8
<i>Lycopersicon esculentum</i> examined for specific organisms	122
Maize-malt—Nitrogen content of	53
Malt activity as affected by electro-culture	78
Maltose from starch by rice amylase	48
<i>Memecylon edule</i> in relation to sandal-spike	63
Mercuric chloride in sterilising seed-coats	127
Methi examined for specific organisms	124
3-Methoxybenzal dimethyldihydroresorcin, 4-hydroxy-	153
4-Methoxybenzal dimethyldihydroresorcin	153
3:4-Methylenedioxybenzal dimethyldihydroresorcin	152

	PAGE
Micro-organisms and seeds—Relation between	119
Mineral constituents of <i>Kari</i> soil and <i>Kathira</i> grass	101
<i>Mylabris pustulata</i> —Cantharidin and fatty acids from	31
Naphthaquinones in oxidation of benzaldehyde—Effect of	25
Nitrogen content of tissue fluids (<i>Phaseolus vulgaris</i>)	4
„ transformations as affected by electro-culture	85
Oil of cantharis—Constituents of	45
Oleic acid and an isomeride, from oil of cantharis	40
Organic matter in <i>Kari</i> soil and <i>Kathira</i> grass	102
<i>Oryza sativa</i> examined for specific organisms	122
Oxidation of benzaldehyde inhibited by phenols	26
„ „ toluene and benzaldehyde—Photochemical	11
Paddy examined for specific organisms	124
Palmitic acid from oil of cantharis	40
Peas examined for specific organisms	124
Peaty soils of Travancore—Origin and nature of	99
<i>Penicillium</i> contamination of seeds	123
<i>Pennisetum typhoidcum</i> (bajri)—Nitrogen content of malt from	53
Pentosans in <i>Kathira</i> grass	102
<i>Phaseolus vulgaris</i> (French beans)—Changes in tissue fluids of	1
„ „ „ Examined for specific organisms	124
Phenanthraquinone in oxidation of benzaldehyde—Effect of	25
Phenol as affecting germination	131
Photochemical oxidation of toluene and benzaldehyde	11
<i>Phyllanthus polyphyllus</i> in relation to sandal-spike	64
Piperonal condensed with dimethyldihydroresorcin	152
<i>Pisum sativum</i> examined for specific organisms... ..	122
<i>Pittosporum floribundum</i> in relation to sandal-spike	63
Plant tissue fluids—Composition and physical properties of	1
Protein in <i>Kari</i> soil and <i>Kathira</i> grass	102
Protocatechuic aldehyde condensed with dimethyldihydroresorcin	152
<i>Pterolobium Indicum</i> in relation to sandal-spike	64
Pyrogallol in oxidation of benzaldehyde—Effect of	16, 26
Quinol and its ethers in oxidation of benzaldehyde—Effect of	26
2 : 3-Quinolinedicarboxylic acid. See acridinic acid	168
Ragi-malt—Nitrogen content of	53
Refractive index of tissue fluids (<i>Phaseolus vulgaris</i>)	4
Resinous constituents of <i>Kari</i> soil and <i>Kathira</i> grass	103
Resorcinol in oxidation of benzaldehyde—Effect of	26
Resorcylaldehyde condensed with dimethyldihydroresorcin	151
Rice-amylase—Preparation of	47
„ examined for specific organisms	124
„ -malt—Nitrogen content of	53
Root fixation of nitrogen affected by darkness	9
Saccharification by rice-amylase	47

	PAGE
Saccharification of starch as affected by electro-culture	84
Salicylaldehyde condensed with dimethyldihydroresorcin	149
Salts without influence on amylase action	50
Sandal (<i>Santalum album</i>)—Ecology of	59
<i>Scutia Indica</i> in relation to sandal-spike	63
Seeds and micro-organisms—Relation between	119
Soils (peaty) of Travancore—Origin and nature of	99
Specific gravity of tissue fluids (<i>Phaseolus vulgaris</i>)	4
Spike-disease of sandal	61
Starch—Action of rice-amylase on	47
„ liquefaction as affected by electro-culture	84
Stearic acid from oil of cantharis	40
<i>Strobilanthus kunthianus</i> in relation to sandal-spike	64
Sugar content of tissue fluids (<i>Phaseolus vulgaris</i>)	5
„ in <i>Kathira</i> grass	102
Sunlight—Oxidation of toluene in	14
Sylvicultural characteristics of sandal areas	62
Symbiosis of seeds and micro-organisms not supported	135
2 : 3-Tetramethyl-4 : 5-diketo- <i>p</i> -acetoxy- <i>m</i> -methoxyphenyloctahydroxan- thene	153
2 : 7-Tetramethyl-4 : diketo- <i>p</i> -acetoxyphenyloctahydroxanthene	152
2 : 7-Tetramethyl-4 : 5-diketo- <i>p</i> -methoxyphenyloctahydroxanthene	153
2 : 7-Tetramethyl-4 : 5-diketo-3' : 4'-methylenedioxyphenyloctahydroxan- thene	156
2 : 7-Tetramethyl-4 : 5-diketo- <i>o</i> -nitrophenyloctahydroxanthene	170
2 : 7-Tetramethyl-4 : 5-diketo- <i>m</i> -nitrophenyloctahydroxanthene	156
2 : 7-Tetramethyl-4 : 5-diketo- <i>p</i> -nitrophenyloctahydroxanthene	155
2 : 7-Tetramethyl-4 : 5-diketophenyloctahydroxanthene	153
Thymol as affecting germination	131
Tissue fluids—Effects of age and environment on	1
<i>Toddalia aculeata</i> in relation to sandal-spike	63
Toluene—Photochemical oxidation of	11
Travancore soils (peaty)—Origin and nature of	99
<i>Trigonella fenugraecum</i> examined for specific organisms	122
<i>Triticum sativum</i> examined for specific organisms	122
<i>Triumfetta rhomboidca</i> in relation to sandal-spike	64
Uranium salts as catalysts in photochemical oxidation	15
Vanillin condensed with dimethyldihydroresorcin	153
Wheat grains examined for specific organisms	124
„ -malt—Nitrogen content of	53